

## 检测报告

编号: SHAEC25014097706\_1

日期: 2025 年 09 月 26 日

第 1 页, 共 3 页

客户名称: 镇江钰沅硅材料有限公司  
客户地址: 江苏省扬中市三茅街道钟灵路 18 号

样品名称: 硅橡胶  
型号: ZY8  
客户参考信息: ZY-820 (硬度 20 度)、ZY-830 (硬度 30 度)、ZY-840 (硬度 40 度)、ZY-850 (硬度 50 度)、ZY-860 (硬度 60 度)、ZY-870 (硬度 70 度)、ZY-880 (硬度 80 度)

以上样品及信息由客户提供。

此报告替代原来编号为 SHAEC25014097706, 日期为 2025 年 08 月 08 日的报告。

SGS 工作编号: SHP25-019146  
样品接收时间: 2025 年 06 月 11 日  
检测周期: 2025 年 06 月 11 日 ~ 2025 年 06 月 17 日  
检测要求: 根据客户要求检测。  
检测方法: 见后续页。  
检测结果: 见后续页。

	检测要求	说明
1	US FDA 21 CFR 177.2600 - 总提取物	符合

通标标准技术服务(上海)有限公司  
授权签名

罗萍

Carol Luo 罗萍  
批准签署人

Scan to see the report



3B11C1AE



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CTI 通标标准技术服务(上海)有限公司  
Chemical Laboratories Technical Services (Shanghai) Co., Ltd.

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgs.com.cn  
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

## 检测结果:

## 检测部件外观描述:

样品序号	样品编号	SGS 样品 ID	样品描述	材质 (客户提供)
SN1	A.C001	SHA25-0140977-0001.C001	白色半透明固体	硅橡胶

## 备注:

- (1)  $\text{mg}/\text{dm}^2$  = 毫克每平方分米  
 $\text{mg}/\text{inch}^2$  = 毫克每平方英寸  
 $\mu\text{g}/\text{cm}^2$  = 微克每平方厘米  
 $\text{mg}/\text{L}$  = 毫克每升  
 $\text{mg}/\text{kg}$  = 毫克每千克
- (2)  $^{\circ}\text{C}$  = 摄氏度  
 $^{\circ}\text{F}$  = 华氏度
- (3)  $<$  = 小于
- (4) RL = 报告检出限
- (5) ND = 未检出 ( $<$  RL)。

**US FDA 21 CFR 177.2600 - 总提取物**

检测方法: 参考 US FDA 21 CFR 177.2600。

模拟液	检测条件	限值	单位	RL	A.C001	说明
正己烷	回流温度 7.0 hrs	175	$\text{mg}/\text{inch}^2$	0.5	10.5	符合
正己烷 继续萃取	回流温度 2.0 hrs	4	$\text{mg}/\text{inch}^2$	0.5	ND	符合
蒸馏水	回流温度 7.0 hrs	20	$\text{mg}/\text{inch}^2$	0.5	ND	符合
蒸馏水 继续萃取	回流温度 2.0 hrs	1	$\text{mg}/\text{inch}^2$	0.5	ND	符合

本报告增加了客户参考信息。

除非另有说明, 参照 ILAC-G8:09/2019, 使用简单接受 ( $w=0$ ) 的二元判定规则进行符合性判定。  
除非另有说明, 此报告结果仅对检测的样品负责。本报告未经本公司书面许可, 不可部分复制。  
检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services (Shanghai) Co., Ltd.  
Chemical Laboratories

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com


## 检测报告

编号: SHAEC25014097706\_1

日期: 2025年09月26日

第3页, 共3页

样品照片:



此照片仅限于随 SGS 正本报告使用

\*\*\*报告结束\*\*\*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS (Shanghai) Technical Services (Shanghai) Co., Ltd.  
Chemical Laboratories

3<sup>rd</sup> Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233  
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn  
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com